

# 0 0 bet365

[Percutaneous endoscopic gastrostomy \(PEG\) is a type of feeding tube which is inserted through the skin of the abdomen into the stomach during an endoscopy. You may need a PEG if food, drink and medicines cannot reach your stomach \(for example, if you can't swallow properly\).](#)

[PEG and feeding tubes - Leeds Teaching Hospitals NHS Trust](#)

[leedsth.nhs.uk : endoscopy : therapeutic-endoscopy-and-colonoscopy](#)

[2ahUKEwjQ2bS9pM-DAXUKVmwGHWZBDAEQzmd6BAGBEAc](#)

[0 0 bet365](#)

[hwc kCrYT](#)

[Guide to PEG/RIG - Oxford University Hospitals](#)

[ouh.nhs.uk : services : neurosciences : neurology : mnd : support](#)

[2ahUKEwjQ2bS9pM-DAXUKVmwGHWZBDAEQzmd6BAGBEA4](#)

[0 0 bet365](#)

[hwc kCrYT](#)

Answer and Explanation: The decimal 3.5 is read 'three and five-tenths', so it can be written as the mixed number  $3 \frac{5}{10}$ . To convert a mixed number to a fraction, you multiply the denominator of the fraction (10) by the whole number (3) and add that to the numerator (5).